## **AMENDMENTS TO THE CLAIMS:**

Please amend claims 1, 2, 5, 6, and 7, as follows. This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

Claim 1 (Currently Amended): A composition, comprising:

<u>a</u> metallic copper catalyst; for use in an ethylene addition reaction to provide a polyfluoroalkylethyl iodide from

a polyfluoroalkyl iodide; and

ethylene;

wherein the metallic copper catalyst is present in an amount in the range of 0.5 to 10 wt.% of the polyfluoroalkyl iodide.

Claim 2 (Currently Amended): The metallic copper catalyst composition according to Claim 1, wherein the polyfluoroalkyl iodide is a compound represented by Formula (I):

$$R_{f}I$$
 (I)

wherein  $R_f$  is a  $C_{1-6}$  polyfluoroalkyl; and

the polyfluoroalkylethyl iodide is a compound represented by Formula (II):

wherein R<sub>r</sub>is as defined above.

Claim 3 (Original): A process for producing a polyfluoroalkylethyl iodide represented by Formula (II):

$$R_{C}CH_{2}CH_{2}-I$$
 (II)

wherein R<sub>f</sub> is a C<sub>1-6</sub> polyfluoroalkyl,

the process comprising the step of reacting ethylene with a compound represented by Formula (I):

$$R_{\Gamma}I$$
 (I)

wherein  $R_f$  is as defined above, in the presence of a metallic copper catalyst.

Claim 4 (Original): The process according to Claim 3, wherein the metallic copper catalyst is a powdery metallic copper or a metallic copper supported on a carrier, and the reaction is conducted at a temperature of 50-200°C under a pressure of 0.01-3 MPa.

Claim 5 (Currently Amended): A process for producing polyfluoroalkylethyl iodide (IV), the process comprising the following steps (a) and (b) conducted in the presence of the same metallic copper catalyst:

(a) a step of reacting, in the presence of a metallic copper catalyst, tetrafluoroethylene with a compound represented by Formula (I):

$$R_{C}I$$
 (I)

wherein R<sub>f</sub> is a C<sub>1-6</sub> polyfluoroalkyl, to produce a compound represented by Formula (III):

$$R_f(CF_2CF_2)_nI$$
 (III)

wherein n is an integer from 1 to 8 and R<sub>f</sub> is as defined above; and

(b) a step of reacting, in the presence of said metallic copper catalyst, ethylene with compound (III) obtained in step (a) to produce a polyfluoroalkylethyl iodide represented by Formula (IV):

$$R_1(CF_2CF_2)_nCH_2CH_2I$$
 (IV)

wherein R<sub>f</sub> and n are as defined above.

Claim 6 (Currently Amended): A process for producing polyfluoroalkylethyl acrylate (VI), the process comprising the following steps (a), (b) and (c), steps (a) and (b) being conducted in the presence of the same metallic copper catalyst:

(a) a step of reacting, in the presence of a metallic copper catalyst, tetrafluoroethylene with a compound represented by Formula (I):

$$R_f I$$
 (I)

wherein  $R_f$  is a  $C_{1.6}$  polyfluoroalkyl, to produce a compound represented by Formula (III):

$$R_{f}(CF_{2}CF_{2})_{n}I$$
 (III)

wherein n is an integer from 1 to 8 and  $R_f$  is as defined above;

(b) a step of reacting, in the presence of said metallic copper catalyst, ethylene with compound (III) obtained in step (a) to produce a compound represented by Formula (IV):

$$R_1(CF_2CF_2)_nCH_2CH_2I$$
 (IV)

wherein R<sub>f</sub> and n are as defined above; and

(c) a step of reacting compound (IV) obtained in step (b) with a carboxylate represented by Formula (V):

$$CH_2=C(X)COOM$$
 (V)

wherein X is H or CH<sub>3</sub> and M is an alkali metal, to produce a polyfluoroalkylethyl acrylate represented by Formula (VI):

$$R_{1}(CF_{2}CF_{2})_{n}CH_{2}CH_{2}OCOC(X)=CH_{2}$$
 (VI)

wherein  $R_f$ , n and X are as defined above.

Claim 7 (Currently Amended): A process for producing a polyfluoroalkylethyl acrylate represented by Formula (VII):

$$R_1CH_2CH_2OCOC(X)=CH_2$$
 (VII)

wherein  $R_f$  is a  $C_{1.6}$  polyfluoroalkyl, and X is H or  $CH_3$ ,

the process comprising the step of producing reacting a polyfluoroalkylethyl iodide obtained according to the production process of Item claim 3 and represented by Formula (II):

$$R_{r}CH_{2}CH_{2}-I$$
 (II)

wherein R<sub>f</sub> is as defined above, and

the step of reacting said polyfluoroalkylethyl iodide with a carboxylate represented by Formula (V):

$$CH_2=C(X)COOM$$
 (V)

wherein X is as defined above, and M is an alkali metal.